

Forward Map No Dx

I9cm_d ec	ShortDesc	I10 Map	Explanation for No Dx
365.70	Glaucoma stage NOS	NoDx	The glaucoma stages are combined into the primary glaucoma codes in ICD-10-CM. Refer to the 7th character boxes & definitions associated with sub-categories H40.1-H40.6.
365.71	Mild stage glaucoma	NoDx	
365.72	Moderate stage glaucoma	NoDx	
365.73	Severe stage glaucoma	NoDx	
365.74	Indeterm stage glaucoma	NoDx	
707.20	Pressure ulcer,stage NOS	NoDx	The pressure ulcer stages are combined into the primary ulcer codes in ICD-10-CM. Refer to the 6th character for codes in category L89.
707.21	Pressure ulcer, stage I	NoDx	
707.22	Pressure ulcer, stage II	NoDx	
707.23	Pressure ulcer,stage III	NoDx	
707.24	Pressure ulcer, stage IV	NoDx	
707.25	Pressure ulcer,unstagebl	NoDx	

764.09	Lt-for-dates 2500+g	NoDx	The upper limit for the "light-for-dates" for neonates in ICD-10-CM is 2499 grams. There is no mapping for weights above 2499 grams. Refer to codes in subcategories P05.0 & P05.1.
764.19	Lt-for-date w/mal 2500+g	NoDx	
765.29	37+ comp wks gestation	NoDx	If this information is necessary, refer to codes: Z3A.37, Z3A.38, Z3A.39, Z3A.40, Z3A.41, Z3A.42 & Z3A.49.
779.6	Termination of pregnancy	NoDx	Category 779 is for "Other and ill-defined conditions originating in the perinatal period," which are assigned on the newborn's record. If a pregnancy is terminated, there is typically no newborn record.
E850.0	Acc poison-heroin	NoDx	Refer to code T40.1X1 (Note: code is not valid w/o 7th character for episode of care.)
E850.1	Acc poison-methadone	NoDx	Refer to code T40.3X1 (Note: code is not valid w/o 7th character for episode of care.)
E850.2	Acc poison-opiates NEC	NoDx	Refer to code T40.601 (Note: code is not valid w/o 7th character for episode of care.)
E850.3	Acc poison-salicylates	NoDx	Refer to code T39.091 (Note: code is not valid w/o 7th character for episode of care.)
E850.4	Acc poison-arom analgesc	NoDx	Refer to code T39.1X1 (Note: code is not valid w/o 7th character for episode of care.)
E850.5	Acc poison-pyrazole derv	NoDx	Refer to code T39.2X1 (Note: code is not valid w/o 7th character for episode of care.)
E850.6	Acc poison-antirheumatic	NoDx	Refer to code T39.4X1 (Note: code is not valid w/o 7th character for episode of care.)
E850.7	Acc poison-nonnarc analg	NoDx	Refer to code T39.91 (Note: code is not valid w/o 7th character for episode of care.)

E850.8	Acc poison-analgesic NEC	NoDx	Refer to code T39.8X1 (Note: code is not valid w/o 7th character for episode of care.)
E850.9	Acc poison-analgesic NOS	NoDx	Refer to code T39.91 (Note: code is not valid w/o 7th character for episode of care.)
E851	Acc poison-barbiturates	NoDx	Refer to code T42.3X1 (Note: code is not valid w/o 7th character for episode of care.)
E852.0	Acc poisn-chlorl hydrate	NoDx	Refer to code T42.6X1 (Note: code is not valid w/o 7th character for episode of care.)
E852.1	Acc poison-paraldehyde	NoDx	Refer to code T42.6X1 (Note: code is not valid w/o 7th character for episode of care.)
E852.2	Acc poison-bromine cmpnd	NoDx	Refer to code T42.6X1 (Note: code is not valid w/o 7th character for episode of care.)
E852.3	Acc poison- methaqualone	NoDx	Refer to code T42.6X1 (Note: code is not valid w/o 7th character for episode of care.)
E852.4	Acc poison-glutethimide	NoDx	Refer to code T42.6X1 (Note: code is not valid w/o 7th character for episode of care.)
E852.5	Acc poison-mix sedtv NEC	NoDx	Refer to code T42.6X1 (Note: code is not valid w/o 7th character for episode of care.)
E852.8	Acc poison-sedatives NEC	NoDx	Refer to code T42.6X1 (Note: code is not valid w/o 7th character for episode of care.)
E852.9	Acc poison-sedatives NOS	NoDx	Refer to code T42.71X (Note: code is not valid w/o 7th character for episode of care.)
E853.0	Acc pois-phenthiaz tranq	NoDx	Refer to code T43.3X1 (Note: code is not valid w/o 7th character for episode of care.)
E853.1	Acc pois-butyrphen tranq	NoDx	Refer to code T43.4X1 (Note: code is not valid w/o 7th character for episode of care.)
E853.2	Acc poisn-benzdiaz tranq	NoDx	Refer to code T42.4X1 (Note: code is not valid w/o 7th character for episode of care.)

E853.8	Acc poisn-tranquilzr NEC	NoDx	Refer to code T43.591 (Note: code is not valid w/o 7th character for episode of care.)
E853.9	Acc poisn-tranquilzr NOS	NoDx	Refer to code T43.501 (Note: code is not valid w/o 7th character for episode of care.)
E854.0	Acc poison-antidepressnt	NoDx	Refer to code T43.201 (Note: code is not valid w/o 7th character for episode of care.)
E854.1	Acc poison-hallucinogens	NoDx	Refer to code T40.901 (Note: code is not valid w/o 7th character for episode of care.)
E854.2	Acc poisn-psychstimulant	NoDx	Refer to code T43.601 (Note: code is not valid w/o 7th character for episode of care.)
E854.3	Acc poison-cns stimulant	NoDx	Refer to code T43.601 (Note: code is not valid w/o 7th character for episode of care.)
E854.8	Acc poisn psychotrop NEC	NoDx	Refer to code T43.8X1 (Note: code is not valid w/o 7th character for episode of care.)
E855.0	Acc poisn-anticonvulsant	NoDx	Refer to code T42.71 (Note: code is not valid w/o 7th character for episode of care.)
E855.1	Acc poisn-cns depres NEC	NoDx	Refer to code T42.71 (Note: code is not valid w/o 7th character for episode of care.)
E855.2	Acc poisn-local anesthet	NoDx	Refer to code T41.3X1 (Note: code is not valid w/o 7th character for episode of care.)
E855.3	Acc poison-cholinergics	NoDx	Refer to code T44.1X1 (Note: code is not valid w/o 7th character for episode of care.)
E855.4	Acc poisn-anticholinerg	NoDx	Refer to code T44.3X1 (Note: code is not valid w/o 7th character for episode of care.)
E855.5	Acc poison-adrenergics	NoDx	Refer to codes T44.4X1, T44.5X1 & T44.901 (Note: code is not valid w/o 7th character for episode of care.)
E855.6	Acc poisn-sympatholytics	NoDx	Refer to codes T44.6X1, T44.7X1 & T44.8X1 (Note: code is not valid w/o 7th character for episode of care.)

E855.8	Acc poison-cns drug NEC	NoDx	Refer to code T44.991 (Note: code is not valid w/o 7th character for episode of care.)
E855.9	Acc poison-cns drug NOS	NoDx	Refer to code T44.901 (Note: code is not valid w/o 7th character for episode of care.)
E856	Acc poison-antibiotics	NoDx	Refer to code T36.91 (Note: code is not valid w/o 7th character for episode of care.)
E857	Acc pois-oth anti-infect	NoDx	Refer to code T37.8X1 (Note: code is not valid w/o 7th character for episode of care.)
E858.0	Acc poison-hormones	NoDx	Refer to code T38.801 (Note: code is not valid w/o 7th character for episode of care.)
E858.1	Acc poisn-systemic agent	NoDx	Refer to code T45.91 (Note: code is not valid w/o 7th character for episode of care.)
E858.2	Acc poison-blood agent	NoDx	Refer to code T45.91 (Note: code is not valid w/o 7th character for episode of care.)
E858.3	Acc poisn-cardiovasc agt	NoDx	Refer to code T46.901 (Note: code is not valid w/o 7th character for episode of care.)
E858.4	Acc poison-gi agent	NoDx	Refer to code T47.91 (Note: code is not valid w/o 7th character for episode of care.)
E858.5	Acc poisn-metabol agnt	NoDx	Refer to codes T50.3X1 & T50.4X1 (Note: code is not valid w/o 7th character for episode of care.)
E858.6	Acc poisn-muscl/resp agt	NoDx	Refer to code T48.901 (Note: code is not valid w/o 7th character for episode of care.)
E858.7	Acc poisn-skin/eent agnt	NoDx	Refer to codes T49.5X1, T49.6X1, T49.7X1 & T49.91 (Note: code is not valid w/o 7th character for episode of care.)
E858.8	Acc poisoning-drug NEC	NoDx	Refer to code T50.991 (Note: code is not valid w/o 7th character for episode of care.)
E858.9	Acc poisoning-drug NOS	NoDx	Refer to code T50.901 (Note: code is not valid w/o 7th character for episode of care.)

E860.0	Acc poisn-alcohol bevrag	NoDx	Refer to code T51.0X1 (Note: code is not valid w/o 7th character for episode of care.)
E860.1	Acc poison-ethyl alcohol	NoDx	Refer to code T51.0X1 (Note: code is not valid w/o 7th character for episode of care.)
E860.2	Acc poisn-methyl alcohol	NoDx	Refer to code T51.1X1 (Note: code is not valid w/o 7th character for episode of care.)
E860.3	Acc poisn-isopropyl alc	NoDx	Refer to code T51.2X1 (Note: code is not valid w/o 7th character for episode of care.)
E860.4	Acc poison-fusel oil	NoDx	Refer to code T51.3X1 (Note: code is not valid w/o 7th character for episode of care.)
E860.8	Acc poison-alcohol NEC	NoDx	Refer to code T51.8X1 (Note: code is not valid w/o 7th character for episode of care.)
E860.9	Acc poison-alcohol NOS	NoDx	Refer to code T51.91X (Note: code is not valid w/o 7th character for episode of care.)
E861.0	Acc pois-synth detergent	NoDx	Refer to code T55.1X1 (Note: code is not valid w/o 7th character for episode of care.)
E861.1	Acc poison-soap products	NoDx	Refer to code T55.0X1 (Note: code is not valid w/o 7th character for episode of care.)
E861.2	Acc poison-polishes	NoDx	Refer to code T65.891 (Note: code is not valid w/o 7th character for episode of care.)
E861.3	Acc poison-cleanser NEC	NoDx	Refer to code T65.891 (Note: code is not valid w/o 7th character for episode of care.)
E861.4	Acc poison-disinfectants	NoDx	Refer to code T65.891 (Note: code is not valid w/o 7th character for episode of care.)
E861.5	Acc poison-lead paints	NoDx	Refer to code T56.0X1 (Note: code is not valid w/o 7th character for episode of care.)
E861.6	Acc poison-paints NEC	NoDx	Refer to code T65.6X1 (Note: code is not valid w/o 7th character for episode of care.)

E861.9	Acc poison-cleanser NOS	NoDx	Refer to code T65.891 (Note: code is not valid w/o 7th character for episode of care.)
E862.0	Acc poisn-petrol solvent	NoDx	Refer to code T52.0X1 (Note: code is not valid w/o 7th character for episode of care.)
E862.1	Acc poisn-petroleum fuel	NoDx	Refer to code T52.0X1 (Note: code is not valid w/o 7th character for episode of care.)
E862.2	Acc pois-lubricating oil	NoDx	Refer to code T52.0X1 (Note: code is not valid w/o 7th character for episode of care.)
E862.3	Acc pois-petroleum solid	NoDx	Refer to code T52.0X1 (Note: code is not valid w/o 7th character for episode of care.)
E862.4	Acc poisn-solvents NEC	NoDx	Refer to code T52.8X1 (Note: code is not valid w/o 7th character for episode of care.)
E862.9	Acc poisn-solvent NOS	NoDx	Refer to code T52.91 (Note: code is not valid w/o 7th character for episode of care.)
E863.0	Acc pois-chlorine pestic	NoDx	Refer to code T60.1X1 (Note: code is not valid w/o 7th character for episode of care.)
E863.1	Acc pois-phosph pesticid	NoDx	Refer to code T60.0X1 (Note: code is not valid w/o 7th character for episode of care.)
E863.2	Acc poison-carbamates	NoDx	Refer to code T60.0X1 (Note: code is not valid w/o 7th character for episode of care.)
E863.3	Acc poisn-mixed pesticid	NoDx	Refer to code T60.8X1 (Note: code is not valid w/o 7th character for episode of care.)
E863.4	Acc poison-pesticide NEC	NoDx	Refer to code T60.8X1 (Note: code is not valid w/o 7th character for episode of care.)
E863.5	Acc poison-herbicides	NoDx	Refer to code T60.3X1 (Note: code is not valid w/o 7th character for episode of care.)
E863.6	Acc poison-fungicides	NoDx	Refer to code T60.3X1 (Note: code is not valid w/o 7th character for episode of care.)

E863.7	Acc poison-rodenticides	NoDx	Refer to code T60.4X1 (Note: code is not valid w/o 7th character for episode of care.)
E863.8	Acc poison-fumigants	NoDx	Refer to code T60.91 (Note: code is not valid w/o 7th character for episode of care.)
E863.9	Acc pois-agrcult NEC/NOS	NoDx	Refer to code T65.91 (Note: code is not valid w/o 7th character for episode of care.)
E864.0	Acc pois-corrosiv aromat	NoDx	Refer to code T54.1X1 (Note: code is not valid w/o 7th character for episode of care.)
E864.1	Acc poison-acids	NoDx	Refer to code T54.2X1 (Note: code is not valid w/o 7th character for episode of care.)
E864.2	Acc poisn-caustic alkali	NoDx	Refer to code T54.3X1 (Note: code is not valid w/o 7th character for episode of care.)
E864.3	Acc poison-caustic NEC	NoDx	Refer to code T54.91 (Note: code is not valid w/o 7th character for episode of care.)
E864.4	Acc poison-caustic NOS	NoDx	Refer to code T54.91 (Note: code is not valid w/o 7th character for episode of care.)
E865.0	Acc poison-meat	NoDx	Refer to code T62.8X1 (Note: code is not valid w/o 7th character for episode of care.)
E865.1	Acc poison-shellfish	NoDx	Refer to code T61.781 (Note: code is not valid w/o 7th character for episode of care.)
E865.2	Acc poison-fish NEC	NoDx	Refer to code T61.771 (Note: code is not valid w/o 7th character for episode of care.)
E865.3	Acc poison-berries/seeds	NoDx	Refer to code T62.1X1 (Note: code is not valid w/o 7th character for episode of care.)
E865.4	Acc poison-plants NEC	NoDx	Refer to code T62.2X1 (Note: code is not valid w/o 7th character for episode of care.)
E865.5	Acc poison-mushrooms	NoDx	Refer to code T62.0X1 (Note: code is not valid w/o 7th character for episode of care.)

E865.8	Acc poison-food NEC	NoDx	Refer to code T62.8X1 (Note: code is not valid w/o 7th character for episode of care.)
E865.9	Acc poisn-food/plant NOS	NoDx	Refer to code T62.91X (Note: code is not valid w/o 7th character for episode of care.)
E866.0	Acc poisoning-lead	NoDx	Refer to code T56.0X1 (Note: code is not valid w/o 7th character for episode of care.)
E866.1	Acc poisoning-mercury	NoDx	Refer to code T56.1X1 (Note: code is not valid w/o 7th character for episode of care.)
E866.2	Acc poisoning-antimony	NoDx	Refer to code T56.891 (Note: code is not valid w/o 7th character for episode of care.)
E866.3	Acc poisoning-arsenic	NoDx	Refer to code T57.0X1 (Note: code is not valid w/o 7th character for episode of care.)
E866.4	Acc poison-metals NEC	NoDx	Refer to code T56.891 (Note: code is not valid w/o 7th character for episode of care.)
E866.5	Acc poison-plant food	NoDx	Refer to code T65.891 (Note: code is not valid w/o 7th character for episode of care.)
E866.6	Acc poison-glues	NoDx	Refer to code T65.891 (Note: code is not valid w/o 7th character for episode of care.)
E866.7	Acc poison-cosmetics	NoDx	Refer to code T49.8X1 (Note: code is not valid w/o 7th character for episode of care.)
E866.8	Acc pois-solid/liq NEC	NoDx	Refer to code T65.891 (Note: code is not valid w/o 7th character for episode of care.)
E866.9	Acc pois-solid/liq NOS	NoDx	Refer to code T65.91X (Note: code is not valid w/o 7th character for episode of care.)
E867	Acc poison-piped gas	NoDx	Refer to code T59.891 (Note: code is not valid w/o 7th character for episode of care.)
E868.0	Acc pois-liq petrol gas	NoDx	Refer to code T59.891 (Note: code is not valid w/o 7th character for episode of care.)

E868.1	Acc pois-utl gas NEC/NOS	NoDx	Refer to code T58.11X (Note: code is not valid w/o 7th character for episode of care.)
E868.2	Acc poison-exhaust gas	NoDx	Refer to code T58.01X (Note: code is not valid w/o 7th character for episode of care.)
E868.3	Acc pois-co/domestic fuel	NoDx	Refer to code T58.2X1 (Note: code is not valid w/o 7th character for episode of care.)
E868.8	Acc pois-carbn monox NEC	NoDx	Refer to code T58.8X1 (Note: code is not valid w/o 7th character for episode of care.)
E868.9	Acc pois-carbn monox NOS	NoDx	Refer to code T58.91X (Note: code is not valid w/o 7th character for episode of care.)
E869.0	Acc poisn-nitrogen oxide	NoDx	Refer to code T59.0X1 (Note: code is not valid w/o 7th character for episode of care.)
E869.1	Acc poisn-sulfur dioxide	NoDx	Refer to code T59.1X1 (Note: code is not valid w/o 7th character for episode of care.)
E869.2	Acc poison-freon	NoDx	Refer to code T53.5X1 (Note: code is not valid w/o 7th character for episode of care.)
E869.3	Acc poison-tear gas	NoDx	Refer to code T59.3X1 (Note: code is not valid w/o 7th character for episode of care.)
E869.4	Scndhnd tbcco smoke	NoDx	Refer to code T59.811 (Note: code is not valid w/o 7th character for episode of care.)
E869.8	Acc poison-gas/vapor NEC	NoDx	Refer to code T59.891 (Note: code is not valid w/o 7th character for episode of care.)
E869.9	Acc poison-gas/vapor NOS	NoDx	Refer to code T59.91X (Note: code is not valid w/o 7th character for episode of care.)
E870.0	Acc cut/hem in surgery	NoDx	Refer to code Y65.8 (Note: code is not valid w/o 7th character for episode of care.)
E870.1	Acc cut/hem in infusion	NoDx	Refer to code Y65.8 (Note: code is not valid w/o 7th character for episode of care.)

E870.2	Acc cut/hem-perfusn NEC	NoDx	Refer to code Y65.8 (Note: code is not valid w/o 7th character for episode of care.)
E870.3	Acc cut/hem in injection	NoDx	Refer to code Y65.8 (Note: code is not valid w/o 7th character for episode of care.)
E870.4	Acc cut/hem w scope exam	NoDx	Refer to code Y83.8 (Note: code is not valid w/o 7th character for episode of care.)
E870.5	Acc cut/hem w catheteriz	NoDx	Refer to code Y84.4 (Note: code is not valid w/o 7th character for episode of care.)
E870.6	Acc cut/hem w heart cath	NoDx	Refer to code Y65.8 (Note: code is not valid w/o 7th character for episode of care.)
E870.7	Acc cut/hem w enema	NoDx	Refer to code Y65.8 (Note: code is not valid w/o 7th character for episode of care.)
E870.8	Acc cut in med care NEC	NoDx	Refer to code Y65.8 (Note: code is not valid w/o 7th character for episode of care.)
E870.9	Acc cut in med care NOS	NoDx	Refer to code Y65.8 (Note: code is not valid w/o 7th character for episode of care.)
E871.0	Post-surgical forgn body	NoDx	Refer to code Y65.4 (Note: code is not valid w/o 7th character for episode of care.)
E871.1	Postinfusion foreign bdy	NoDx	Refer to code Y65.4 (Note: code is not valid w/o 7th character for episode of care.)
E871.2	Postperfusion forgn body	NoDx	Refer to code Y65.4 (Note: code is not valid w/o 7th character for episode of care.)
E871.3	Postinjection forgn body	NoDx	Refer to code Y65.4 (Note: code is not valid w/o 7th character for episode of care.)
E871.4	Postendoscopy forgn body	NoDx	Refer to code Y65.4 (Note: code is not valid w/o 7th character for episode of care.)
E871.5	Postcatheter forgn body	NoDx	Refer to code Y65.4 (Note: code is not valid w/o 7th character for episode of care.)

E871.6	FB post heart catheter	NoDx	Refer to code Y65.4 (Note: code is not valid w/o 7th character for episode of care.)
E871.7	FB post-catheter removal	NoDx	Refer to code Y65.4 (Note: code is not valid w/o 7th character for episode of care.)
E871.8	Post-op foreign body NEC	NoDx	Refer to code Y65.4 (Note: code is not valid w/o 7th character for episode of care.)
E871.9	Post-op foreign body NOS	NoDx	Refer to code Y65.4 (Note: code is not valid w/o 7th character for episode of care.)
E874.0	Instrmnt fail in surgery	NoDx	Refer to code Y65.8 (Note: code is not valid w/o 7th character for episode of care.)
E874.1	Instrumnt fail-infusion	NoDx	Refer to code Y65.8 (Note: code is not valid w/o 7th character for episode of care.)
E874.2	Instrmnt fail-perfus NEC	NoDx	Refer to code Y65.8 (Note: code is not valid w/o 7th character for episode of care.)
E874.3	Instrumnt fail-endoscopy	NoDx	Refer to code Y65.8 (Note: code is not valid w/o 7th character for episode of care.)
E874.4	Instrmnt fail-catheteriz	NoDx	Refer to code Y65.8 (Note: code is not valid w/o 7th character for episode of care.)
E874.5	Instrmnt fail-heart cath	NoDx	Refer to code Y65.8 (Note: code is not valid w/o 7th character for episode of care.)
E874.8	Instrmnt fail-proced NEC	NoDx	Refer to code Y65.8 (Note: code is not valid w/o 7th character for episode of care.)
E874.9	Instrmnt fail-proced NOS	NoDx	Refer to code Y65.8 (Note: code is not valid w/o 7th character for episode of care.)
E903	Travel and motion	NoDx	Refer to code T75.3XX (Note: code is not valid w/o 7th character for episode of care.)
E904.0	Abandonment/lack of care	NoDx	Refer to code T74.02X (Note: code is not valid w/o 7th character for episode of care.)

E904.1	Lack of food	NoDx	Refer to code T73.0XX (Note: code is not valid w/o 7th character for episode of care.)
E904.2	Lack of water	NoDx	Refer to code T73.1XX (Note: code is not valid w/o 7th character for episode of care.)
E904.3	Exposure NEC	NoDx	Refer to code T73.2XX (Note: code is not valid w/o 7th character for episode of care.)
E904.9	Privation NOS	NoDx	Refer to code T73.9XX (Note: code is not valid w/o 7th character for episode of care.)
E905.0	Venomous snake bite	NoDx	Refer to code T63.001 (Note: code is not valid w/o 7th character for episode of care.)
E905.1	Venomous spider bite	NoDx	Refer to code T63.391 (Note: code is not valid w/o 7th character for episode of care.)
E905.2	Scorpion sting	NoDx	Refer to code T63.2X1 (Note: code is not valid w/o 7th character for episode of care.)
E905.3	Hornet/wasp/bee sting	NoDx	Refer to code T63.461 (Note: code is not valid w/o 7th character for episode of care.)
E905.4	Centipede bite	NoDx	Refer to code T63.411 (Note: code is not valid w/o 7th character for episode of care.)
E905.5	Venomous arthropods NEC	NoDx	Refer to code T63.481 (Note: code is not valid w/o 7th character for episode of care.)
E905.6	Venom sea animals/plants	NoDx	Refer to code T63.691 (Note: code is not valid w/o 7th character for episode of care.)
E905.7	Poisoning by other plant	NoDx	Refer to code T63.791 (Note: code is not valid w/o 7th character for episode of care.)
E905.8	Venomous bite/sting NEC	NoDx	Refer to code T63.891 (Note: code is not valid w/o 7th character for episode of care.)
E905.9	Venomous bite/sting NOS	NoDx	Refer to code T63.91X (Note: code is not valid w/o 7th character for episode of care.)

E911	Resp obstr-food inhal	NoDx	Refer to code T17.920 (Note: code is not valid w/o 7th character for episode of care.)
E912	Resp obstr-inhal obj NEC	NoDx	Refer to code T17.990 (Note: code is not valid w/o 7th character for episode of care.)
E913.0	Suffocat in bed/cradle	NoDx	Refer to code T71.111 (Note: code is not valid w/o 7th character for episode of care.)
E913.1	Suffocation-plastic bag	NoDx	Refer to code T71.121 (Note: code is not valid w/o 7th character for episode of care.)
E913.2	Suffocation-lack of air	NoDx	Refer to code T71.20X (Note: code is not valid w/o 7th character for episode of care.)
E913.3	Cave-in NOS	NoDx	Refer to code T71.21X (Note: code is not valid w/o 7th character for episode of care.)
E913.8	Suffocation NEC	NoDx	Refer to code T71.191 (Note: code is not valid w/o 7th character for episode of care.)
E913.9	Suffocation NOS	NoDx	Refer to code T71.9XX (Note: code is not valid w/o 7th character for episode of care.)
E914	FB entering eye	NoDx	Refer to code T15.90X (Note: code is not valid w/o 7th character for episode of care.)
E915	FB entering oth orifice	NoDx	Refer to code T17.298 (Note: code is not valid w/o 7th character for episode of care.)
E924.1	Accid-caustic substance	NoDx	Refer to code T17.298 (Note: code is not valid w/o 7th character for episode of care.)
E927.0	Overxrt-sudn stren mvmt	NoDx	Refer to code Y93.9 (Note: code is not valid w/o 7th character for episode of care.)
E927.1	Overxrt-prolng stc postn	NoDx	Refer to code Y93.9 (Note: code is not valid w/o 7th character for episode of care.)
E927.2	Excess physical exert	NoDx	Refer to code T73.3XX (Note: code is not valid w/o 7th character for episode of care.)

E927.3	Cumltv trma-repetv motn	NoDx	Refer to code Y93.9 (Note: code is not valid w/o 7th character for episode of care.)
E927.4	Cumltv trma-repetv impct	NoDx	Refer to code Y93.9 (Note: code is not valid w/o 7th character for episode of care.)
E927.8	Overexert reptv mvmt NEC	NoDx	Refer to code Y93.9 (Note: code is not valid w/o 7th character for episode of care.)
E927.9	Overexert reptv mvmt NOS	NoDx	Refer to code Y93.9 (Note: code is not valid w/o 7th character for episode of care.)
E928.6	Envir expose algae/toxin	NoDx	Refer to code T65.824 (Note: code is not valid w/o 7th character for episode of care.)
E929.2	Late eff acc poisoning	NoDx	Refer to code T65.891S
E929.4	Late eff fire acc	NoDx	Refer to code X08.8XXS
E930.0	Adv eff penicillins	NoDx	Refer to code T36.0X5 (Note: code is not valid w/o 7th character for episode of care.)
E930.1	Adv eff antifung antibiot	NoDx	Refer to code T36.7X5 (Note: code is not valid w/o 7th character for episode of care.)
E930.2	Adv eff chloramphenicol	NoDx	Refer to code T36.2X5 (Note: code is not valid w/o 7th character for episode of care.)
E930.3	Adv eff erythromycin	NoDx	Refer to code T36.3X5 (Note: code is not valid w/o 7th character for episode of care.)
E930.4	Adv eff tetracycline	NoDx	Refer to code T36.4X5 (Note: code is not valid w/o 7th character for episode of care.)
E930.5	Adv eff cephalosporin	NoDx	Refer to code T36.1X5 (Note: code is not valid w/o 7th character for episode of care.)
E930.6	Adv eff antmycob antibiot	NoDx	Refer to code T37.1X5 (Note: code is not valid w/o 7th character for episode of care.)
E930.7	Adv eff antineop antibiot	NoDx	Refer to code T45.1X5 (Note: code is not valid w/o 7th character for episode of care.)

E930.8	Adv eff antibiotics NEC	NoDx	Refer to code T36.8X5 (Note: code is not valid w/o 7th character for episode of care.)
E930.9	Adv eff antibiotic NOS	NoDx	Refer to code T36.95X (Note: code is not valid w/o 7th character for episode of care.)
E931.0	Adv eff sulfonamides	NoDx	Refer to code T37.0X5 (Note: code is not valid w/o 7th character for episode of care.)
E931.1	Adv eff arsenic anti-inf	NoDx	Refer to code T37.8X5 (Note: code is not valid w/o 7th character for episode of care.)
E931.2	Adv eff metal anti-inf	NoDx	Refer to code T37.8X5 (Note: code is not valid w/o 7th character for episode of care.)
E931.3	Adv eff quinoline	NoDx	Refer to code T37.8X5 (Note: code is not valid w/o 7th character for episode of care.)
E931.4	Adv eff antimalarials	NoDx	Refer to code T37.2X5 (Note: code is not valid w/o 7th character for episode of care.)
E931.5	Adv eff antprotazoal NEC	NoDx	Refer to code T37.3X5 (Note: code is not valid w/o 7th character for episode of care.)
E931.6	Adv eff anthelmintics	NoDx	Refer to code T37.4X5 (Note: code is not valid w/o 7th character for episode of care.)
E931.7	Adv eff antiviral drugs	NoDx	Refer to code T37.5X5 (Note: code is not valid w/o 7th character for episode of care.)
E931.8	Adv eff antimycobac NEC	NoDx	Refer to code T37.1X5 (Note: code is not valid w/o 7th character for episode of care.)
E931.9	Adv eff antinfct NEC/NOS	NoDx	Refer to code T37.8X5 (Note: code is not valid w/o 7th character for episode of care.)
E932.0	Adv eff corticosteroids	NoDx	Refer to code T38.0X5 (Note: code is not valid w/o 7th character for episode of care.)
E932.1	Adv eff androgens	NoDx	Refer to code T38.7X5 (Note: code is not valid w/o 7th character for episode of care.)

E932.2	Adv eff ovarian hormones	NoDx	Refer to code T38.4X5 (Note: code is not valid w/o 7th character for episode of care.)
E932.3	Adv eff insulin/antidiab	NoDx	Refer to code T38.3X5 (Note: code is not valid w/o 7th character for episode of care.)
E932.4	Adv eff ant pituitary	NoDx	Refer to code T38.815 (Note: code is not valid w/o 7th character for episode of care.)
E932.5	Adv eff post pituitary	NoDx	Refer to code T38.895 (Note: code is not valid w/o 7th character for episode of care.)
E932.6	Adv eff parathyroid	NoDx	Refer to code T50.995 (Note: code is not valid w/o 7th character for episode of care.)
E932.7	Adv eff thyroid & deriv	NoDx	Refer to code T38.1X5 (Note: code is not valid w/o 7th character for episode of care.)
E932.8	Adv eff antithyroid agnt	NoDx	Refer to code T38.2X5 (Note: code is not valid w/o 7th character for episode of care.)
E932.9	Adv eff hormones NEC/NOS	NoDx	Refer to code T38.895 (Note: code is not valid w/o 7th character for episode of care.)
E933.0	Adv eff anallrg/antemet	NoDx	Refer to code T45.0X5 (Note: code is not valid w/o 7th character for episode of care.)
E933.1	Adv eff antineoplastic	NoDx	Refer to code T45.1X5 (Note: code is not valid w/o 7th character for episode of care.)
E933.2	Adv eff acidifying agent	NoDx	Refer to code T50.905 (Note: code is not valid w/o 7th character for episode of care.)
E933.3	Adv eff alkalizing agent	NoDx	Refer to code T50.905 (Note: code is not valid w/o 7th character for episode of care.)
E933.4	Adv eff enzymes NEC	NoDx	Refer to code T45.3X5 (Note: code is not valid w/o 7th character for episode of care.)
E933.5	Adv eff vitamins NEC	NoDx	Refer to code T45.2X5 (Note: code is not valid w/o 7th character for episode of care.)

E933.6	Oral bisphosphonates	NoDx	Refer to code T45.8X5 (Note: code is not valid w/o 7th character for episode of care.)
E933.7	IV bisphosphonates	NoDx	Refer to code T45.8X5 (Note: code is not valid w/o 7th character for episode of care.)
E933.8	Adv eff systemic agt NEC	NoDx	Refer to code T45.8X5 (Note: code is not valid w/o 7th character for episode of care.)
E933.9	Adv eff systemic agt NOS	NoDx	Refer to code T45.95X (Note: code is not valid w/o 7th character for episode of care.)
E934.0	Adv eff iron & compounds	NoDx	Refer to code T45.4X5 (Note: code is not valid w/o 7th character for episode of care.)
E934.1	Adv eff liver/antianemic	NoDx	Refer to code T45.8X5 (Note: code is not valid w/o 7th character for episode of care.)
E934.2	Adv eff anticoagulants	NoDx	Refer to code T45.515 (Note: code is not valid w/o 7th character for episode of care.)
E934.3	Adv eff vitamin k	NoDx	Refer to code T45.7X4 (Note: code is not valid w/o 7th character for episode of care.)
E934.4	Adv eff fibrinolysis agt	NoDx	Refer to code T45.695 (Note: code is not valid w/o 7th character for episode of care.)
E934.5	Adv eff coagulants	NoDx	Refer to code T45.7X5 (Note: code is not valid w/o 7th character for episode of care.)
E934.6	Adv eff gamma globulin	NoDx	Refer to code T50.Z15 (Note: code is not valid w/o 7th character for episode of care.)
E934.7	Adv eff blood products	NoDx	Refer to code T45.8X5 (Note: code is not valid w/o 7th character for episode of care.)
E934.8	Adv eff blood agent NEC	NoDx	Refer to code T45.8X5 (Note: code is not valid w/o 7th character for episode of care.)
E934.9	Adv eff blood agent NOS	NoDx	Refer to code T45.95X (Note: code is not valid w/o 7th character for episode of care.)

E935.0	Adv eff heroin	NoDx	Refer to code T40.0X5 (Note: code is not valid w/o 7th character for episode of care.)
E935.1	Adv eff methadone	NoDx	Refer to code T40.3X5 (Note: code is not valid w/o 7th character for episode of care.)
E935.2	Adv eff opiates	NoDx	Refer to code T40.695 (Note: code is not valid w/o 7th character for episode of care.)
E935.3	Adv eff salicylates	NoDx	Refer to code T39.095 (Note: code is not valid w/o 7th character for episode of care.)
E935.4	Adv eff arom analgsc NEC	NoDx	Refer to code T39.1X5 (Note: code is not valid w/o 7th character for episode of care.)
E935.5	Adv eff pyrazole deriv	NoDx	Refer to code T39.2X5 (Note: code is not valid w/o 7th character for episode of care.)
E935.6	Adv eff antirheumatics	NoDx	Refer to code T39.4X5 (Note: code is not valid w/o 7th character for episode of care.)
E935.7	Adv eff non-narc analgsc	NoDx	Refer to code T39.8X5 (Note: code is not valid w/o 7th character for episode of care.)
E935.8	Adv eff analgesics NEC	NoDx	Refer to code T39.8X5 (Note: code is not valid w/o 7th character for episode of care.)
E935.9	Adv eff analgesic NOS	NoDx	Refer to code T39.8X5 (Note: code is not valid w/o 7th character for episode of care.)
E936.0	Adv eff oxazolidin deriv	NoDx	Refer to code T42.2X5 (Note: code is not valid w/o 7th character for episode of care.)
E936.1	Adv eff hydantoin deriv	NoDx	Refer to code T42.0X5 (Note: code is not valid w/o 7th character for episode of care.)
E936.2	Adv eff succinimides	NoDx	Refer to code T42.2X5 (Note: code is not valid w/o 7th character for episode of care.)
E936.3	Adv eff antconvl NEC/NOS	NoDx	Refer to code T42.6X5 (Note: code is not valid w/o 7th character for episode of care.)

E936.4	Adv eff anti-parkinson	NoDx	Refer to code T42.8X5 (Note: code is not valid w/o 7th character for episode of care.)
E937.0	Adv eff barbiturates	NoDx	Refer to code T42.3X5 (Note: code is not valid w/o 7th character for episode of care.)
E937.1	Adv eff chloral hydrate	NoDx	Refer to code T42.6X5 (Note: code is not valid w/o 7th character for episode of care.)
E937.2	Adv eff paraldehyde	NoDx	Refer to code T42.6X5 (Note: code is not valid w/o 7th character for episode of care.)
E937.3	Adv eff bromine compnds	NoDx	Refer to code T42.6X5 (Note: code is not valid w/o 7th character for episode of care.)
E937.4	Adv eff methaqualone	NoDx	Refer to code T42.6X5 (Note: code is not valid w/o 7th character for episode of care.)
E937.5	Adv eff glutethimide	NoDx	Refer to code T42.6X5 (Note: code is not valid w/o 7th character for episode of care.)
E937.6	Adv eff mix sedative	NoDx	Refer to code T42.6X5 (Note: code is not valid w/o 7th character for episode of care.)
E937.8	Adv eff sedat/hypnot NEC	NoDx	Refer to code T42.6X5 (Note: code is not valid w/o 7th character for episode of care.)
E937.9	Adv eff sedat/hypnot NOS	NoDx	Refer to code T42.75X (Note: code is not valid w/o 7th character for episode of care.)
E938.0	Adv eff cns muscl depres	NoDx	Refer to code T42.8X5 (Note: code is not valid w/o 7th character for episode of care.)
E938.1	Adv eff halothane	NoDx	Refer to code T41.0X5 (Note: code is not valid w/o 7th character for episode of care.)
E938.2	Adv eff gas anesthet NEC	NoDx	Refer to code T41.0X5 (Note: code is not valid w/o 7th character for episode of care.)
E938.3	Adv eff intraven anesth	NoDx	Refer to code T41.1X5 (Note: code is not valid w/o 7th character for episode of care.)

E938.4	Adv eff gen anes NEC/NOS	NoDx	Refer to code T41.295 (Note: code is not valid w/o 7th character for episode of care.)
E938.5	Adv eff topic/infil anes	NoDx	Refer to code T41.3X5 (Note: code is not valid w/o 7th character for episode of care.)
E938.6	Adv eff nerve-block anes	NoDx	Refer to code T41.3X5 (Note: code is not valid w/o 7th character for episode of care.)
E938.7	Adv eff spinal anesthet	NoDx	Refer to code T41.3X5 (Note: code is not valid w/o 7th character for episode of care.)
E938.9	Adv eff loc anes NEC/NOS	NoDx	Refer to code T41.3X5 (Note: code is not valid w/o 7th character for episode of care.)
E939.0	Adv eff antidepressants	NoDx	Refer to code T43.1X5 (Note: code is not valid w/o 7th character for episode of care.)
E939.1	Adv eff phenothiaz tranq	NoDx	Refer to code T43.3X5 (Note: code is not valid w/o 7th character for episode of care.)
E939.2	Adv eff butyrophen tranq	NoDx	Refer to code T43.4X5 (Note: code is not valid w/o 7th character for episode of care.)
E939.3	Adv eff antipsychotc NEC	NoDx	Refer to code T43.595 (Note: code is not valid w/o 7th character for episode of care.)
E939.4	Adv eff benzodiaz tranq	NoDx	Refer to code T42.4X5 (Note: code is not valid w/o 7th character for episode of care.)
E939.5	Adv eff tranquilizer NEC	NoDx	Refer to code T43.505 (Note: code is not valid w/o 7th character for episode of care.)
E939.6	Adv eff hallucinogens	NoDx	Refer to code T40.905 (Note: code is not valid w/o 7th character for episode of care.)
E939.7	Adv eff psychostimulants	NoDx	Refer to code T43.625 (Note: code is not valid w/o 7th character for episode of care.)
E939.8	Adv eff psychotropic NEC	NoDx	Refer to code T43.8X5 (Note: code is not valid w/o 7th character for episode of care.)

E939.9	Adv eff psychotropic NOS	NoDx	Refer to code T43.95X (Note: code is not valid w/o 7th character for episode of care.)
E940.0	Adv eff analeptics	NoDx	Refer to code T50.7X5 (Note: code is not valid w/o 7th character for episode of care.)
E940.1	Adv eff opiat antagonist	NoDx	Refer to code T50.7X5 (Note: code is not valid w/o 7th character for episode of care.)
E940.8	Adv eff cns stimulant NEC	NoDx	Refer to code T43.695 (Note: code is not valid w/o 7th character for episode of care.)
E940.9	Adv eff cns stimulant NOS	NoDx	Refer to code T43.605 (Note: code is not valid w/o 7th character for episode of care.)
E941.0	Adv eff cholinergics	NoDx	Refer to code T44.1X5 (Note: code is not valid w/o 7th character for episode of care.)
E941.1	Adv eff parasympatholytic	NoDx	Refer to code T44.3X5 (Note: code is not valid w/o 7th character for episode of care.)
E941.2	Adv eff sympathomimetics	NoDx	Refer to code T44.4X5 (Note: code is not valid w/o 7th character for episode of care.)
E941.3	Adv eff sympatholytics	NoDx	Refer to code T44.6X5 (Note: code is not valid w/o 7th character for episode of care.)
E941.9	Adv eff autonom agt NOS	NoDx	Refer to code T44.905 (Note: code is not valid w/o 7th character for episode of care.)
E942.0	Adv eff card rhythm regul	NoDx	Refer to code T46.2X5 (Note: code is not valid w/o 7th character for episode of care.)
E942.1	Adv eff cardiotonics	NoDx	Refer to code T46.0X5 (Note: code is not valid w/o 7th character for episode of care.)
E942.2	Adv eff antilipemics	NoDx	Refer to code T46.6X5 (Note: code is not valid w/o 7th character for episode of care.)
E942.3	Adv eff ganglion-block	NoDx	Refer to code T44.2X5 (Note: code is not valid w/o 7th character for episode of care.)

E942.4	Adv eff coronary vasodil	NoDx	Refer to code T46.3X5 (Note: code is not valid w/o 7th character for episode of care.)
E942.5	Adv eff vasodilators NEC	NoDx	Refer to code T46.7X5 (Note: code is not valid w/o 7th character for episode of care.)
E942.6	Adv eff antihyperten agt	NoDx	Refer to code T46.5X5 (Note: code is not valid w/o 7th character for episode of care.)
E942.7	Adv eff antivaricose	NoDx	Refer to code T46.8X5 (Note: code is not valid w/o 7th character for episode of care.)
E942.8	Adv eff capillary-act	NoDx	Refer to code T46.905 (Note: code is not valid w/o 7th character for episode of care.)
E942.9	Adv eff cardiovasc NEC	NoDx	Refer to code T46.995 (Note: code is not valid w/o 7th character for episode of care.)
E943.0	Adv eff antacids	NoDx	Refer to code T47.1X5 (Note: code is not valid w/o 7th character for episode of care.)
E943.1	Adv eff irrit cathartic	NoDx	Refer to code T47.2X5 (Note: code is not valid w/o 7th character for episode of care.)
E943.2	Adv eff emoll cathartics	NoDx	Refer to code T47.3X5 (Note: code is not valid w/o 7th character for episode of care.)
E943.3	Adv eff cathartics NEC	NoDx	Refer to code T47.4X5 (Note: code is not valid w/o 7th character for episode of care.)
E943.4	Adv eff digestants	NoDx	Refer to code T47.5X5 (Note: code is not valid w/o 7th character for episode of care.)
E943.5	Adv eff antidiarrhea agt	NoDx	Refer to code T47.6X5 (Note: code is not valid w/o 7th character for episode of care.)
E943.6	Adv eff emetics	NoDx	Refer to code T47.7X5 (Note: code is not valid w/o 7th character for episode of care.)
E943.8	Adv eff GI agent NEC	NoDx	Refer to code T47.8X5 (Note: code is not valid w/o 7th character for episode of care.)

E943.9	Adv eff GI agent NOS	NoDx	Refer to code T47.95X (Note: code is not valid w/o 7th character for episode of care.)
E944.0	Adv eff mercury diuretic	NoDx	Refer to code T50.2X5 (Note: code is not valid w/o 7th character for episode of care.)
E944.1	Adv eff purine diuretics	NoDx	Refer to code T50.2X5 (Note: code is not valid w/o 7th character for episode of care.)
E944.2	Adv eff acetazolamide	NoDx	Refer to code T50.2X5 (Note: code is not valid w/o 7th character for episode of care.)
E944.3	Adv eff saluretics	NoDx	Refer to code T50.2X5 (Note: code is not valid w/o 7th character for episode of care.)
E944.4	Adv eff diuretics NEC	NoDx	Refer to code T50.1X5 (Note: code is not valid w/o 7th character for episode of care.)
E944.5	Adv eff electrolyte agnt	NoDx	Refer to code T50.3X5 (Note: code is not valid w/o 7th character for episode of care.)
E944.6	Adv eff mineral salt NEC	NoDx	Refer to code T50.3X5 (Note: code is not valid w/o 7th character for episode of care.)
E944.7	Adv eff uric acid metab	NoDx	Refer to code T50.4X5 (Note: code is not valid w/o 7th character for episode of care.)
E945.0	Adv eff oxytocic agents	NoDx	Refer to code T48.0X5 (Note: code is not valid w/o 7th character for episode of care.)
E945.1	Adv eff smooth musc relx	NoDx	Refer to code T44.3X5 (Note: code is not valid w/o 7th character for episode of care.)
E945.2	Adv eff skelet musc relx	NoDx	Refer to code T48.1X5 (Note: code is not valid w/o 7th character for episode of care.)
E945.3	Adv eff musc agt NEC/NOS	NoDx	Refer to code T48.295 (Note: code is not valid w/o 7th character for episode of care.)
E945.4	Adv eff antitussives	NoDx	Refer to code T48.3X5 (Note: code is not valid w/o 7th character for episode of care.)

E945.5	Adv eff expectorants	NoDx	Refer to code T48.4X5 (Note: code is not valid w/o 7th character for episode of care.)
E945.6	Adv eff anti-common cold	NoDx	Refer to code T48.5X5 (Note: code is not valid w/o 7th character for episode of care.)
E945.7	Adv eff antiasthmatics	NoDx	Refer to code T48.6X5 (Note: code is not valid w/o 7th character for episode of care.)
E945.8	Adv eff resp drg NEC/NOS	NoDx	Refer to code T48.995 (Note: code is not valid w/o 7th character for episode of care.)
E946.0	Adv eff loc anti-infectv	NoDx	Refer to code T49.0X5 (Note: code is not valid w/o 7th character for episode of care.)
E946.1	Adv eff antipruritics	NoDx	Refer to code T49.1X5 (Note: code is not valid w/o 7th character for episode of care.)
E946.2	Adv eff local astringent	NoDx	Refer to code T49.2X5 (Note: code is not valid w/o 7th character for episode of care.)
E946.3	Adv eff emollient/demulc	NoDx	Refer to code T49.3X5 (Note: code is not valid w/o 7th character for episode of care.)
E946.4	Adv eff hair/scalp prep	NoDx	Refer to code T49.4X5 (Note: code is not valid w/o 7th character for episode of care.)
E946.5	Adv eff eye anti-inf/drg	NoDx	Refer to code T49.5X5 (Note: code is not valid w/o 7th character for episode of care.)
E946.6	Adv eff ent anti-inf/drg	NoDx	Refer to code T49.6X5 (Note: code is not valid w/o 7th character for episode of care.)
E946.7	Adv eff topic dental drg	NoDx	Refer to code T49.7X5 (Note: code is not valid w/o 7th character for episode of care.)
E946.8	Adv eff skin agent NEC	NoDx	Refer to code T49.8X5 (Note: code is not valid w/o 7th character for episode of care.)
E946.9	Adv eff skin agent NOS	NoDx	Refer to code T49.95X (Note: code is not valid w/o 7th character for episode of care.)

E947.0	Adv eff dietetics	NoDx	Refer to code T50.5X5 (Note: code is not valid w/o 7th character for episode of care.)
E947.1	Adv eff lipotropic drugs	NoDx	Refer to code T50.905 (Note: code is not valid w/o 7th character for episode of care.)
E947.2	Adv eff antidotes NEC	NoDx	Refer to code T50.6X5 (Note: code is not valid w/o 7th character for episode of care.)
E947.3	Adv eff alcohol deter	NoDx	Refer to code T50.6X5 (Note: code is not valid w/o 7th character for episode of care.)
E947.4	Adv eff pharmaceut excip	NoDx	Refer to code T50.905 (Note: code is not valid w/o 7th character for episode of care.)
E947.8	Adv eff medicinal NEC	NoDx	Refer to code T50.8X5 (Note: code is not valid w/o 7th character for episode of care.)
E947.9	Adv eff medicinal NOS	NoDx	Refer to code T50.905 (Note: code is not valid w/o 7th character for episode of care.)
E948.0	Adv eff bcg vaccine	NoDx	Refer to code T50.A95 (Note: code is not valid w/o 7th character for episode of care.)
E948.1	Adv eff typhoid vaccine	NoDx	Refer to code T50.A95 (Note: code is not valid w/o 7th character for episode of care.)
E948.2	Adv eff cholera vaccine	NoDx	Refer to code T50.A95 (Note: code is not valid w/o 7th character for episode of care.)
E948.3	Adv eff plague vaccine	NoDx	Refer to code T50.A95 (Note: code is not valid w/o 7th character for episode of care.)
E948.4	Adv eff tetanus vaccine	NoDx	Refer to code T50.A95 (Note: code is not valid w/o 7th character for episode of care.)
E948.5	Adv eff diphther vaccine	NoDx	Refer to code T50.A95 (Note: code is not valid w/o 7th character for episode of care.)
E948.6	Adv eff pertussis vaccin	NoDx	Refer to code T50.A15 (Note: code is not valid w/o 7th character for episode of care.)

E948.8	Adv eff bact vac NEC/NOS	NoDx	Refer to code T50.A95 (Note: code is not valid w/o 7th character for episode of care.)
E948.9	Adv eff mix bact vaccine	NoDx	Refer to code T50.A25 (Note: code is not valid w/o 7th character for episode of care.)
E949.0	Adv eff smallpox vaccine	NoDx	Refer to code T50.B15 (Note: code is not valid w/o 7th character for episode of care.)
E949.1	Adv eff rabies vaccine	NoDx	Refer to code T50.B95 (Note: code is not valid w/o 7th character for episode of care.)
E949.2	Adv eff typhus vaccine	NoDx	Refer to code T50.A95 (Note: code is not valid w/o 7th character for episode of care.)
E949.3	Adv eff yellow fever vac	NoDx	Refer to code T50.B95 (Note: code is not valid w/o 7th character for episode of care.)
E949.4	Adv eff measles vaccine	NoDx	Refer to code T50.B95 (Note: code is not valid w/o 7th character for episode of care.)
E949.5	Adv eff polio vaccine	NoDx	Refer to code T50.B95 (Note: code is not valid w/o 7th character for episode of care.)
E949.6	Adv eff viral vacc NEC	NoDx	Refer to code T50.B95 (Note: code is not valid w/o 7th character for episode of care.)
E949.7	Adv eff mixed viral-bact	NoDx	Refer to code T50.A95 (Note: code is not valid w/o 7th character for episode of care.)
E949.9	Adv eff biologic NEC/NOS	NoDx	Refer to code T50.Z95 (Note: code is not valid w/o 7th character for episode of care.)
E950.0	Poison-analgesics	NoDx	Refer to code T39.8X2 (Note: code is not valid w/o 7th character for episode of care.)
E950.1	Poison-barbiturates	NoDx	Refer to code T42.3X2 (Note: code is not valid w/o 7th character for episode of care.)
E950.2	Poison-sedat/hypnotic	NoDx	Refer to code T42.6X2 (Note: code is not valid w/o 7th character for episode of care.)

E950.3	Poison-psychotropic agt	NoDx	Refer to code T43.8X2 (Note: code is not valid w/o 7th character for episode of care.)
E950.4	Poison-drug/medicin NEC	NoDx	Refer to code T50.992 (Note: code is not valid w/o 7th character for episode of care.)
E950.5	Poison-drug/medicin NOS	NoDx	Refer to code T65.92X (Note: code is not valid w/o 7th character for episode of care.)
E950.6	Poison-agricult agent	NoDx	Refer to code T60.8X2 (Note: code is not valid w/o 7th character for episode of care.)
E950.7	Poison-corrosiv/caustic	NoDx	Refer to code T54.92X (Note: code is not valid w/o 7th character for episode of care.)
E950.8	Poison-arsenic	NoDx	Refer to code T57.0X2 (Note: code is not valid w/o 7th character for episode of care.)
E950.9	Poison-solid/liquid NEC	NoDx	Refer to code T65.892 (Note: code is not valid w/o 7th character for episode of care.)
E951.0	Poison-piped gas	NoDx	Refer to code T59.892 (Note: code is not valid w/o 7th character for episode of care.)
E951.1	Poison-gas in container	NoDx	Refer to code T59.892 (Note: code is not valid w/o 7th character for episode of care.)
E951.8	Poison-utility gas NEC	NoDx	Refer to code T59.892 (Note: code is not valid w/o 7th character for episode of care.)
E952.0	Poison-exhaust gas	NoDx	Refer to code T58.02X (Note: code is not valid w/o 7th character for episode of care.)
E952.1	Poison-co NEC	NoDx	Refer to code T58.8X2 (Note: code is not valid w/o 7th character for episode of care.)
E952.8	Poison-gas/vapor NEC	NoDx	Refer to code T59.892 (Note: code is not valid w/o 7th character for episode of care.)
E952.9	Poison-gas/vapor NOS	NoDx	Refer to code T59.92X (Note: code is not valid w/o 7th character for episode of care.)

E953.0	Injury-hanging	NoDx	Refer to code T71.162 (Note: code is not valid w/o 7th character for episode of care.)
E953.1	Injury-suff w plas bag	NoDx	Refer to code T71.122 (Note: code is not valid w/o 7th character for episode of care.)
E953.8	Injury-strang/suff NEC	NoDx	Refer to code X83.8XX (Note: code is not valid w/o 7th character for episode of care.)
E953.9	Injury-strang/suff NOS	NoDx	Refer to code X83.8XX (Note: code is not valid w/o 7th character for episode of care.)
E961	Assault-corrosiv/caust	NoDx	Refer to code T54.93X (Note: code is not valid w/o 7th character for episode of care.)
E962.0	Assault-pois w medic agt	NoDx	Refer to code T50.993 (Note: code is not valid w/o 7th character for episode of care.)
E962.1	Assault-pois w solid/liq	NoDx	Refer to code T65.893 (Note: code is not valid w/o 7th character for episode of care.)
E962.2	Assault-pois w gas/vapor	NoDx	Refer to code T59.893 (Note: code is not valid w/o 7th character for episode of care.)
E962.9	Assault-poisoning NOS	NoDx	Refer to code T57.93X (Note: code is not valid w/o 7th character for episode of care.)
E963	Assault-hanging/strangul	NoDx	Refer to code T71.163 (Note: code is not valid w/o 7th character for episode of care.)
E978	Legal execution	NoDx	Refer to code Y35.91X (Note: code is not valid w/o 7th character for episode of care.)
E980.0	Undeterm pois-analgesics	NoDx	Refer to code T39.8X4 (Note: code is not valid w/o 7th character for episode of care.)
E980.1	Undeterm pois-barbiturat	NoDx	Refer to code T42.3X4 (Note: code is not valid w/o 7th character for episode of care.)
E980.2	Undet pois-sed/hypn NEC	NoDx	Refer to code T40.994 (Note: code is not valid w/o 7th character for episode of care.)

E980.3	Undeterm pois- psychotrop	NoDx	Refer to code T43.8X4 (Note: code is not valid w/o 7th character for episode of care.)
E980.4	Undet pois-med agnt NEC	NoDx	Refer to code T50.994 (Note: code is not valid w/o 7th character for episode of care.)
E980.5	Undet pois-med agnt NOS	NoDx	Refer to code T50.904 (Note: code is not valid w/o 7th character for episode of care.)
E980.6	Undet pois-corros/caust	NoDx	Refer to code T54.94X (Note: code is not valid w/o 7th character for episode of care.)
E980.7	Undet pois-agricult agnt	NoDx	Refer to code T60.8X4 (Note: code is not valid w/o 7th character for episode of care.)
E980.8	Undeter pois-arsenic	NoDx	Refer to code T57.0X4 (Note: code is not valid w/o 7th character for episode of care.)
E980.9	Undeter pois-sol/liq NEC	NoDx	Refer to code T65.894 (Note: code is not valid w/o 7th character for episode of care.)
E981.0	Undeter pois-piped gas	NoDx	Refer to code T59.894 (Note: code is not valid w/o 7th character for episode of care.)
E981.1	Undet pois-container gas	NoDx	Refer to code T59.894 (Note: code is not valid w/o 7th character for episode of care.)
E981.8	Undet pois-util gas NEC	NoDx	Refer to code T59.894 (Note: code is not valid w/o 7th character for episode of care.)
E982.0	Undeter pois-exhaust gas	NoDx	Refer to code T58.04X (Note: code is not valid w/o 7th character for episode of care.)
E982.1	Undetermin poison-co NEC	NoDx	Refer to code T58.8X4 (Note: code is not valid w/o 7th character for episode of care.)
E982.8	Undet pois-gas/vapor NEC	NoDx	Refer to code T59.94X (Note: code is not valid w/o 7th character for episode of care.)
E982.9	Undet pois-gas/vapor NOS	NoDx	Refer to code T59.94X (Note: code is not valid w/o 7th character for episode of care.)

E983.0	Undetermin circ-hanging	NoDx	Refer to code T71.164 (Note: code is not valid w/o 7th character for episode of care.)
E983.1	Undet circ-suf plast bag	NoDx	Refer to code T71.124 (Note: code is not valid w/o 7th character for episode of care.)
E983.8	Undet circ-suffocate NEC	NoDx	Refer to code T71.194 (Note: code is not valid w/o 7th character for episode of care.)
E983.9	Undet circ-suffocate NOS	NoDx	Refer to code T71.9XX (Note: code is not valid w/o 7th character for episode of care.)
E984	Undeterm circ-submersion	NoDx	Refer to code Y21.9XX (Note: code is not valid w/o 7th character for episode of care.)
E989	Late eff inj-undet circ	NoDx	Injury of unspecified site maps to ICD-10 category T14, but there is no 7th character representing episode of care, to indicate the late effect (sequela) concept.
V64.41	Lap surg convert to open	NoDx	These diagnosis codes represent surgical procedure circumstances (one approach converted to another). In ICD-10-PCS, an additional procedure code is assigned for inspection of the site with the initial approach assigned. No diagnosis codes are necessary.
V64.42	Thoroscop conv to open	NoDx	
V64.43	Arthroscopc conv to open	NoDx	